

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1000
 9000
 8000
 7000
 6000
 5000
 4000
 3000
 2000
 1000
 0



一
●
12

SIMPLFD REP: VERSION2

X. X + - 0. 0
X. XX + - 0. 01
X. XXX + - 0. 005
ANG. + - 1. 0

002023 11 02 16 22 50




Fig. 2


SIMPLFD REP: VERSION2

X.X	+-0.0
X.XX	+-0.01
X.XXX	+-0.005
ANG.	+-1.0



X.X + -0.0
X.XX + -0.01
X.XXX + -0.005
ANG. + -1.0

ANG. +1.0

[illegible]

Chamber
to allow
sweet
glide

assembling
with
grease

۵

SIMPLFD REP: VERSION2

X. X + - 0. 0
X. XX + - 0. 01
X. XXX + - 0. 005
ANG. + - 1. 0





Fig. 5

SIMPLFD REP: VERSION2

X.X	+ - 0.0
X.XX	+ - 0.01
X.XXX	+ - 0.005
ANG.	+ - 1.0

[illegible][illegible]

Switch Operation

<u>Speed Setting</u>	<u>Contact Connections</u>
Off	1/2, 11/12
Low1	2/3, 10/11
Low2	3/4, 9/10
Medium	4/5, 8/9
High	5/6, 7/8

七

Fig. 6